

REQUEST FOR QUOTATION (This is NOT an Order)		This RFQ <input checked="" type="checkbox"/> is <input type="checkbox"/> is not a small business set-aside			Page 1 Of 22	
1. Request No. DAAE07-02-Q-M147	2. Date Issued 2002AUG27	3. Requisition/Purchase Request No. See Schedule	4. Cert For Nat Def. Under BDSA Reg. 2 and/or DMS Reg. 1	Rating DOA4		
5A. Issued By TACOM AMSTA-LC-CLDB-Z WARREN, MICHIGAN 48397-5000			6. Deliver by (Date) See Schedule			
			7. Delivery <input type="checkbox"/> FOB Destination <input checked="" type="checkbox"/> Other			
5B. For Information Call: (Name and telephone no.) (No collect calls) TERRY ZIELINSKI (586) 574-5833 EMAIL: ZIELINST@TACOM.ARMY.MIL			9. Destination (Consignee and address, including Zip Code) See Schedule			
8. To: Name and Address, Including Zip Code						
10. Please Furnish Quotations to the Issuing Office in Block 5A On or Before Close of Business (Date) 2002SEP30		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please indicate on this form and return it to the address in Block 5B. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any interpretations and/or certifications attached to this Request for Quotation must be completed by the quoter.				
11. Schedule (Include applicable Federal, State, and local taxes)						
Item Number (a)	Supplies/Services (b)	Quantity (c)	Unit (d)	Unit Price (e)	Amount (f)	
	(See Schedule)					
12. Discount For Prompt Payment		a. 10 Calendar Days %	b. 20 Calendar Days %	c. 30 Calendar Days %	d. Calendar Days	
					Number	Percentage
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. Name and Address of Quoter (Street, City, County, State and Zip Code)			14. Signature of Person Authorized to Sign Quotation		15. Date of Quotation	
			16. Signer			
			a. Name (Type or Print)		b. Telephone	
c. Title (Type or Print)		Area Code				
		Number				

AUTHORIZED FOR LOCAL REPRODUCTION

PREVIOUS EDITIONS NOT USABLE

18-118

Standard Form 18 (Rev. 8-95)

Prescribed by GSA-FAR (43 CFR) 53.215-1(a)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 2 of 22
---------------------------	--	----------------------------

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2001

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

2	52.215-4854 (TACOM)	PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS SOLICITATION/REQUEST	JUL/2002
---	------------------------	--	----------

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of provision]

1. TDP is competitive
2. The subject item is rated critical safety. Only new material is acceptable for this procurement. Surplus material is not acceptable.
3. Item/components coded "Critical Application" Advise ACO.
4. QPL applies to this item.

*** END OF NARRATIVE A 001 ***

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001AA	<div>Supplies or Services and Prices/Costs</div> <div>PRODUCTION QUANTITY</div> <div> NSN: 3040-00-788-9070 NOUN: CONNECTING LINK,RIG FSCM: 19207 PART NR: 9171119 SECURITY CLASS: Unclassified PRON: EH2A6563EH PRON AMD: 01 AMS CD: 070011 </div> <div> Description/Specs./Work Statement TOP DRAWING NR: 9171119 DATE: 01-AUG-2002 </div> <div> Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: AK07889070 UNIT PACK: EA INTERMEDIATE PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B </div> <div> Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin </div> <div> Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 BTWL5421300333 BA4BZZ L BTWL00 3 PROJ CD BRK BLK PT BTW004 DEL REL CD QUANTITY DAYS AFTER AWARD 001 1 0150 </div> <div> FOB POINT: Origin </div> <div> SHIP TO: PARCEL POST ADDRESS (BTW004) UPS FREIGHT SERVICES INC TEL 310 630 6341 FAX 310 630 6390 19901 SOUTH HAMILTON AVE SUITE D TORRANCE CA 90502-1336 </div> <div> MARK FOR: ARTHUR J FRITZ AND COMPANY 2241 E GRAND AVENUE </div>	1	EA	\$ _____	\$ _____

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 4 of 22
--------------------	---	--------------

Name of Offeror or Contractor:

CONTRACT CLAUSES

3	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
4	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
5	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	MAY/1999
6	52.242-10	F.O.B. ORIGIN--GOVERNMENT BILLS OF LADING OR PREPAID POSTAGE	APR/1984
7	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
8	52.247-1	COMMERCIAL BILL OF LADING NOTATIONS the notation set forth in paragraph (a) of the clause applies in this contract.` The agency name in line one of the notation shall read:US ARMY TANK-AUTOMOTIVE & ARMAMENTS COMMAND	APR/1984
9	52.247-29	F.O.B. ORIGIN	JUN/1988
10	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
11	52.247-59	F.O.B. ORIGIN - CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
12	52.247-65	F.O.B. ORIGIN - PREPAID FREIGHT - SMALL PACKAGE SHIPMENTS	JAN/1991
13	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	MAR/1998
14	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
15	52.204-4006 (TACOM)	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	MAY/2000

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is origin.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

16	52.211-4015 (TACOM)	CONFIGURATION CONTROL--ENGINEERING CHANGES	JUL/2002
----	------------------------	--	----------

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 5 of 22
Name of Offeror or Contractor:		

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is Kanchanial khatiwala.

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (-2-) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 6 of 22
Name of Offeror or Contractor:		

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDS shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

17	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES	MAR/2000
----	------------------------	---	----------

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: Mil-C-53072.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

18	52.242-4008 (TACOM)	ROUTING OF SPECIAL PROCESS APPROVALS	AUG/1994
----	------------------------	--------------------------------------	----------

(a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

19	52.242-4022	DELIVERY SCHEDULE	MAY/2000
----	-------------	-------------------	----------

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 7 of 22
---------------------------	--	----------------------------

Name of Offeror or Contractor:

(TACOM)

(a) The following delivery schedule applies to this procurement:

(1) See the Government's proposed schedule in Section B. Start deliveries 150 days after the date of award, or, n/a days after award if First Article Test is waived. Continue delivering every thirty (30) days, if necessary, until all items are delivered.

(2) You can accelerate delivery: "At no additional cost to the Government"

(3) Delivery is defined as follows:

(i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual order.

(ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual order. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the order, to ensure that the item reaches its destination by the time reflected in the order.

(b) CONTRACTOR'S PROPOSED SCHEDULE:

(1) I WILL START DELIVERIES _____ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, _____ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

(2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____ UNITS EVERY 30 DAYS.

ATTENTION: IF YOU DO NOT INSERT A MAXIMUM QUANTITY ABOVE, YOU MAY BE REQUIRED TO DELIVER THE TOTAL QUANTITY ON THIS ORDER IN ONE SHIPMENT.

[End of Clause]

20 52.246-4053 USE OF MIL-STD 1916
(TACOM)

JAN/2001

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

21 52.204-3 TAXPAYER IDENTIFICATION

OCT/1998

(a) Definitions.

(1) "Common parent," as used in this solicitation provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

(2) "Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M and implementing regulations issued by the IRS. If the resulting contract is subject to the reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

Name of Offeror or Contractor:

(d) Taxpayer Identification Number (TIN).

* TIN:_____.

* TIN has been applied for.

* TIN is not required because:

* Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;

* Offeror is an agency or instrumentality of a foreign government;

* Offeror is an agency or instrumentality of a Federal Government;

* Other. State basis._____

(e) Type of organization.

* Sole proprietorship;

* Partnership;

* Corporate entity (not tax-exempt):

* Corporate entity (tax-exempt):

* Government entity (Federal, State, or local);

* Foreign government;

* International organization per 26 CFR 1.6049-4;

* Other _____.

(f) Common Parent.

* Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision.

* Name and TIN of common parent:

Name _____

TIN _____

[End of Provision]

22	52.207-4	ECONOMIC PURCHASE QUANTITY -- SUPPLIES	AUG/1987
----	----------	--	----------

(a) Offerors are invited to state an opinion on whether the quantity(ies) of supplies on which bids, proposals, or quotations are requested in this solicitation is (are) economically advantageous to the Government.

(b) Each offeror who believes that acquisitions in different quantities would be more advantageous is invited to recommend an economic purchase quantity. If different quantities are recommended, a total and a unit price must be quoted for applicable items. An economic purchase quantity is that quantity at which a significant price break occurs. If there are significant price breaks at different quantity points, this information is desired as well.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 9 of 22
---------------------------	--	----------------------------

Name of Offeror or Contractor:

<u>ITEM</u>	<u>QUANTITY</u>	<u>PRICE</u> <u>QUOTATION</u>	<u>TOTAL</u>
_____	_____	_____	_____
_____	_____	_____	_____

(c) The information requested in this provision is being solicited to avoid acquisitions in disadvantageous quantities and to assist the Government in developing a data base for future acquisitions of these items. However, the Government reserves the right to amend or cancel the solicitation and resolicit with respect to any individual item in the event quotations received and the Government's requirements indicate that different quantities should be acquired.

[End of Provision]

23 52.247-60 GUARANTEED SHIPPING CHARACTERISTICS DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

- (i) Type of "Outer" container: Wood Box [], Fiber Box [], Barrel [], Reel [], Drum [], Other (Specify) _____
- (ii) Shipping configuration: Knocked-down [], Set-up [], Nested [], Other (specify) _____;
- (iii) Size of outer container: _____ inches (Length), x _____ inches (Width), x _____ inches (Height) = _____ Cubic FT;
- (iv) Number of items per outer container _____ Each;
- (v) Gross weight of outer container and contents _____ LBS
- (vi) Palletized/skidded [] Yes [] No;
- (vii) Number of outer containers per pallet/skid _____;
- (viii) Weight of empty pallet bottom/skid and sides _____ LBS;
- (ix) Size of pallet/skid and contents _____ LBS Cube _____;
- (x) Number of outer containers or pallets/skids per railcar _____ * --
Size of railcar _____
Type of railcar _____
- (xi) Number of outer containers or pallets/skids per trailer _____ *--
Size of trailer _____
Type of trailer _____

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center"> PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD </p>	<p align="center">Page 10 of 22</p>
---	--	--

Name of Offeror or Contractor:

- (i) Rate used in evaluation _____;
- (ii) Tender/Tariff _____;
- (iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of Clause]

24 252.225-7000 BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM CERTIFICATE SEP/1999

(a) Definitions. "Domestic end product," "qualifying country," "qualifying country end product," and "nonqualifying country end product" have the meanings given in the Buy American Act and Balance of Payments Program clause of this solicitation.

(b) Evaluation. Offers will be evaluated by giving preference to domestic end products and qualifying country end products over nonqualifying country end products.

(c) Certifications.

(1) The Offeror certifies that-

- (i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product; and
- (ii) Components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country.

(2) The Offeror certifies that the following end products are qualifying country end products:

Qualifying Country End Products

<u>Line Item Number</u>	<u>Country of Origin</u>
_____	_____
_____	_____

(List only qualifying country end products.)

(3) The Offeror certifies that the following end products are nonqualifying country end products:

Nonqualifying Country End Products

<u>Line Item Number</u>	<u>Country of Origin (If known)</u>
_____	_____
_____	_____

[End of Provision]

25 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 11 of 22
Name of Offeror or Contractor:		

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 12 of 22
---------------------------	---	----------------------

Name of Offeror or Contractor:

letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

- (1) Prime contract number;
- (2) Name of vessel;
- (3) Vessel flag of registry;
- (4) Date of loading;
- (5) Port of loading;
- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

26 52.204-4005 REQUIRED USE OF ELECTRONIC COMMERCE MAY/2000
(TACOM)

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr2000.com> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

- Warren: http://contracting.tacom.army.mil/awards_official.htm
- Rock Island: <http://aaais.ria.army.mil/AAIS/AWDINFO/index.htm>
- Picatinny: <http://procnnet.pica.army.mil/Contracts/Index.htm>
- Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
- Anniston Army Depot: <http://www.anadprocnnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 13 of 22
---------------------------	--	----------------------

Name of Offeror or Contractor:

account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (810) 574-7059.

[End of Clause]

27 52.204-4007 OFFEROR'S DATAFAX NUMBER, E-MAIL ADDRESS, AND CAGE CODE MAY/2000
(TACOM)

(a) If you have a company data fax number, please provide it on the following line:_____

(b) If you have a company Internet address that we can use in the future when sending out electronic notices and possibly solicitations, please provide the complete e-mail address on the following line:_____

(c) Provide your CAGE (Contractor And Government Entity) code here: _____

[End of Provision]

28 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

29 52.211-4008 DRAWING LIMITATION FEB/1995
(TACOM)

(a) The drawings forming a part of the contract specification or technical description, while adequate to permit manufacture, are engineering design drawings and are intended to (1) depict completed items, and (2) serve as a basis for the inspection of the contract items. As such they are not shop or process drawings.

(b) To this extent it is then foreseeable that notwithstanding contractor adherence to a specified range of dimensions and tolerances for each individual part, there could result cumulatively an unacceptable fit condition affecting interchangeability or function of the contract item.

(c) In recognition of the type of Government drawings provided, and their purpose and limitations as stated above, the contractor shall at his own expense be responsible for the preparation of his own shop or process drawings or other supplemental manufacturing documentation as are necessary to insure that the contractor will manufacture within the ranges of dimensions and tolerances specified, so that when considered cumulatively, the result will be a contract item that conforms to the Government drawings. To the extent that the Contractor fails to take into account the cumulative impact of dimensions and tolerances resulting in a condition affecting interchangeability or function of the contract item, he shall be responsible to correct such condition at no additional cost to the Government and at no extension in delivery schedule.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 14 of 22
--------------------	---	---------------

Name of Offeror or Contractor:

[End of Clause]

30 52.211-4021 WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL APR/1995
(TACOM)

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

31 52.211-4030 SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS MAR/2001
(TACOM) (CARC) ON METALLIC SURFACES

(a) Application: MIL-C-46168
MIL-C-53039
MIL-PRF-22750

(b) End-Item Paint Inspection: After the complete paint finish has been applied and cured* (See *Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 15 of 22
--------------------	---	---------------

Name of Offeror or Contractor:

per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 16 of 22
Name of Offeror or Contractor:		

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM
AMSTA-CM-CDD (TDP Requests)
Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Terri McGregor at (810) 574-7058 or Rick Khouri at (810) 574-7064.

[End of Provision]

33	52.211-4047 (TACOM)	NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL (NEGOTIATED)	APR/2000
----	------------------------	---	----------

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

- (b) Definitions:
- (1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.
 - (2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.
 - (3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.
 - (4) "Remanufactured" means factory rebuilt to original specifications.
 - (5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials
 - (6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.
- (c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.
- (d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:
- (7) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.
 - (8) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.
 - (9) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.

(e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

34	52.211-4052 (TACOM)	SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA REQUIREMENTS	JAN/1984
----	------------------------	--	----------

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 17 of 22
--------------------	--	---------------

Name of Offeror or Contractor:

approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Offerors shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

35	52.211-4069	WELDING INSPECTION REQUIREMENTS	MAR/2001
	(TACOM)		

(a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:

- (1) current or previous certification as an AWS Certified Welding Inspector; or
- (2) current or previous certification by the Canadian Welding Bureau (CWB); or

(3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.

(b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.

(c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command
ATTN: AMSTA-TR-E/Materials
Warren, MI 48397-5000

[End of Clause]

36	52.213-4859	ELECTRONIC QUOTATIONS REQUIRED IN RESPONSE TO THIS REQUEST FOR	JUL/2001
	(TACOM)	QUOTATIONS (TACOM)	

(a) You must submit your quotation via paperless electronic media (See paragraph (b) below.). Quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:

- (1) Files readable using these Microsoft* 97 Office Products (TACOM can currently read Office 97* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.
- (2) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.
- (3) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.
- (4) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files.

(b) Acceptable media: 100 or 250 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.

- (1) 100 or 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 18 of 22
---------------------------	--	----------------------

Name of Offeror or Contractor:

any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).

(2) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".

(3) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph (e) below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Note: Please select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip*-disk AND e-mail.

(c) Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM before the due date for quotations. Contact the buyer identified in Block 5(b) of the SF18 Request for Quotation cover sheet to arrange a means of providing it. Passwords used only for the purpose of write protecting files need not be provided.

- (d) Electronic quotations should include, as a minimum:
- (1) The SF18 cover sheet filled out, or equivalent information.
 - (2) All applicable fill-in provisions, filled in. You may find Word versions of these provisions requiring your fill-in on our TACOM Business Opportunities webpage (<http://contracting.tacom.army.mil/mastersol/sectionk.htm>). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.
 - (3) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.
 - (4) Any other information required by the Request for Quotations.
- (e) Quoters shall make every effort to ensure that their quotation is virus-free.

*Registered trademark

[End of provision]

37	52.214-4003	ALL OR NONE	JUN/1985
	(TACOM)		

Only one award will be made as a result of this solicitation. Offers must be submitted for the total quantity of all the items listed. Offers for less than the total quantities of all the items will not be considered.

[End of Clause]

38	52.215-4404	DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY	MAY/2002
----	-------------	--	----------

The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD</p>	<p style="text-align: center;">Page 19 of 22</p>
--	--	---

Name of Offeror or Contractor:

system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of clause]

39	52.246-4005	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	FEB/1995
	(TACOM)		

The Government's inspection and acceptance of the supplies offered under this order shall take place at ORIGIN. Offeror must specify below the exact name and address of his facility, or his subcontractor's facility, where supplies to be furnished under this order will be available for origin inspection

Contractor's Plant: _____

(Name and Address)

Subcontractor's Plant: _____

(Name and Address)

[End of Clause]

40	52.246-4019	VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS	MAR/2001
	(TACOM)		

- (a) Application: MIL-STD-1261
- (b) Scope:

(1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.

(2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.

- (c) Discontinuities:

(1) Cracks - A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone. No cracks are allowed

(2) Porosity - Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.

- (i) Maximum pore size shall be 1/16 inch.
- (ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).

- (3) Overlap - Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.

- (i) A radiused tie-in must exist with the parent metal.
- (ii) The overlap condition must not exceed 10% of the total weld length.

(4) Slag Inclusion - Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes. No slag inclusions are allowed.

(5) Undercut - Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.

- (i) For base materials .25 inch and less in thickness, no undercutting is permitted.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 20 of 22
---------------------------	--	----------------------

Name of Offeror or Contractor:

(ii) For base materials greater than .25 inch thickness:

(A) The maximum depth of undercut shall be 1/32 inch.

(B) The undercut must have a width not less than twice the depth.

(C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater. (For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

(d) Weld Size:

(1) Fillet Welds:

(i) Fillet welds shall be measured using fillet weld gages.

(ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.

(iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.

(2) Groove Welds: No underfill is allowed.

[End of Clause]

41	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT	MAR/2000
----	------------------------	--	----------

(a) This solicitation will result in a purchase order that will require the contractor to use a quality-assurance system to ensure the quality of the purchased items.

(b) To allow TACOM to analyze your proposed quality system, especially if that system is not based on a national or international standard, you must identify your system as part of your response to this solicitation. Paragraph f (below) asks you to identify what quality-assurance system you will use.

(1) If you indicate that your quality system conforms to one of the ISO 9000-series standards, or to QS 9000, or to ANSI/ASQ 9001 or 9002, this is a sufficient description: you need not further describe your quality system in your response to the solicitation.

(2) If your quality system does not conform to any of the standards listed in (b)(1) immediately above, then in addition to identifying the name of the quality system you intend to use, you also must provide a description of your proposed system, in enough detail to let us assess its suitability for use in performing the resulting order. This is of particular importance if your proposed system is unique, using quality control methods and techniques that your company has developed in-house. (Note, however, that if the quality system you intend to use is one that conforms to MIL-Q-9858, MIL-I-45208, or another comparable military specification or standard, you don't need to send us a copy of the standard: just identify which standard you intend to use).

(3) If you provide a description of your quality system, make sure that your description covers how your system:

- achieves defect prevention, and
- provides process control, and
- ensures adequate quality controls throughout all areas of performance.

If some of the features of your system are described in other forms (brochures, for example, or articles), you may attach a copy of such items to your response to this solicitation. If your system is described in a textbook or publication that is available from a commercial or academic distributor, include a reference to the publication by author, title, copyright date, and publisher in your system description. You need not physically attach a copy of a textbook to your offer.

(c) If you already described your quality system as an attachment to another TACOM solicitation within the previous 90 days, you can either send us another copy, or simply identify the number of the previous solicitation.

(d) If you do not provide us a description of your quality system, or if the description you send does not show all of the required features as stated in paragraph (b) above, your offer may be ineligible for award.

(e) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 21 of 22
---------------------------	---	----------------------

Name of Offeror or Contractor:

control, providing adequate quality controls throughout all areas of performance.

(f) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

- ☐ ISO 9001
- ☐ ISO 9002
- ☐ QS 9000
- ☐ ANSI/ASQ Q9001
- ☐ ANSI/ASQ Q9001
- ☐ Other, specifically _____

(Note: if you check the other block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word other, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive an award, your proposed system will be required.)

(g) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(h) At any point during performance, we have the right to review your quality system to assess its effectiveness in meeting requirements.

[End of Clause]

42 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 MAR/2002
(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

- (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

- (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

- (c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

43 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIER'S EQUIPMENT FEB/2002
(TACOM)

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:

- (1) Government Bill(s)/Commercial of Lading or US Postal Services;
- (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
- (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-M147 MOD/AMD	Page 22 of 22
Name of Offeror or Contractor:		

- (b) The Contractor will request:
- (1) Government Bills of Lading and
- (2) Routing and other instructions, including MILSTAMP (Military Standard Transportation and Movement Procedure), as to the methods of shipment to be followed by the Contractor, or
- (c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

44 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002
(TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]